

**From:** Fred Foreman/ESC/R3/USEPA/US  
**Sent:** 4/24/2012 11:18:15 AM  
**To:** Cindy White/MTG/USEPA/US@EPA  
**CC:**  
**Subject:** Fw: Verification/Completeness Check for Dimock (NAREL 1100244 - Gamma, Ra228, Thorium and Uranium Analyses)

Cindy,

Your rad data has been reviewed by the Dimock project team and they have observations which need to be clarified/resolved. Please review the attached report and provide your concurrence or other comments as needed.

There are 2 reports. I will send the other in a separate e-mail.

Thanks  
Fred

Fred Foreman, Chief  
Technical Services Branch  
Office of Analytical Services & Quality Assurance  
US EPA Region III  
Ft. Meade, Maryland  
410-305-2629

----- Forwarded by Fred Foreman/ESC/R3/USEPA/US on 04/24/2012 11:14 AM -----

**From:** Cynthia Caporale/ESC/R3/USEPA/US  
**To:** Fred Foreman/ESC/R3/USEPA/US@EPA  
**Cc:** Robin Costas/ESC/R3/USEPA/US@EPA  
**Date:** 04/23/2012 05:23 PM  
**Subject:** Fw: Verification/Completeness Check for Dimock (NAREL 1100244 - Gamma, Ra228, Thorium and Uranium Analyses)

Fred,

These comments require your confirmation (or NAREL's confirmation) on any item that is changing how the lab qualified (or didn't qualify) results.

Thanks,  
Cindy

Cynthia Caporale, Chief  
OASQA Laboratory Branch  
U.S. EPA Region III  
Environmental Science Center  
Fort Meade, MD  
(410) 305-2732  
Fax: (410) 305-3095

----- Forwarded by Cynthia Caporale/ESC/R3/USEPA/US on 04/23/2012 05:23 PM -----

**From:** Ex. 4 - CBI  
**To:** Cynthia Caporale/ESC/R3/USEPA/US@EPA, Kelley Chase/R3/USEPA/US@EPA  
**Cc:** Gary Newhart/CI/USEPA/US@EPA, John Gilbert/CI/USEPA/US@EPA

Ex. 4 - CBI

**Ex. 4 - CBI**

**Date:** 04/23/2012 03:58 PM  
**Subject:** Verification/Completeness Check for Dimock (NAREL 1100244 - Gamma, Ra228, Thorium and Uranium Analyses)

.....is attached for your review and consideration.

# Ex. 4 - CBI